Introducing our new ProLine

Mounting is now even faster and easier

Roof hooks

- Module bearing rails
- Module clamps
- Accessories




Pro - Roof hooks

- Aluminum EN AW-6063 T66
- Fixed using 1 x Flat head T40 Torx wood screw
- Ribbing secures hook in position
- Click-in assembly is fast and flexible
- No pressure on the roof tile
- Quick mounting adapter (also Torx T40) comes pre-assembled
- Height adjustment up to 30 mm
- Fits over tile battens up to 30 mm thick
- Reduced weight per packaging unit



Pro - Module clamps

- One middle and end clamp to fit module frames between 30 47 mm
- Installation with Torx T40
- Pre-assembled for quick mounting
- Integrated grounding pin
- Available in black anodised
- Optimised packaging units



Pro

Line



Pro - Module bearing rails

- Aluminum EN AW-6063 T66
- Reduced material with higher stability
- Standard rail lengths: 3300 mm, 4400 mm, 5500 mm, 6000 mm

Pro - Accessories

- ProConnector self locking slide-in connector
- RapidPro L Adapter for EcoA
- Universal plastic end cap
- Spacer 2.5 / 5 mm



For competent and comprehensive advice in planning your system, and for questions about ogistics and order processing, our employees are gladly available to you.





Management System ISO 14001:2015 ISO 9001:2015







SCHLETTER SOLAR GMBH (Headquarters) Alustraße 1 83527 Kirchdorf GERMANY

www.schletter-group.com

We reserve the right to changes, including technical modification